



GRAND TRAVERSE COUNTY HEALTH DEPARTMENT

COMMUNITY HEALTH 2600 LaFranier Road, Suite A Traverse City, MI 49686 231-995-6111	ENVIRONMENTAL HEALTH 2650 LaFranier Road Traverse City, MI 49686 231-995-6051	ADMINISTRATION & MEDICAL EXAMINER 2600 LaFranier Road, Suite A Traverse City, MI 49686 231-995-6100	EMERGENCY MANAGEMENT & PUBLIC HEALTH PREPAREDNESS 2600 LaFranier Road, Suite A Traverse City, MI 49686 231-995-6100
---	--	---	---

www.gtchd.org

FOR IMMEDIATE RELEASE – July 23, 2020

Weekly Grand Traverse County Beach Report

Samples Collected July 22, Reported July 23

GRAND TRAVERSE BAY

<u>Beach</u>	<u>sample results</u> <u>E. coli count per 100ml</u>	<u>Water Quality Index</u>
West End	2	1
TC Volley Ball Beach	9	1
Clinch Park	2	1
Bryant Park	31	1
East Bay (Milliken) Park	20	1
TC State Park	5	1
Sayler Park	91	1
Sunset Park	113	1
TC Senior Center	3	1
Acme Bayside Park	27	1

INLAND LAKES

<u>Beach</u>	<u>This weeks sample results</u> <u>E. coli count per 100ml</u>	<u>Water Quality Index</u>
Gilbert Park (Long Lake)	6	1
Taylor Park (Long Lake)	4	1
Interlochen State Park (Duck Lake)	10	1
Twin Lakes Park (North Twin Lake)	3	1
Whitewater Township Park (Elk Lake –geomean method)	7	1

<u>Water Quality Index</u>	<u>Body Contact Limits</u>	<u>E.coli/100ml</u> <u>(Single Event)</u>	<u>E.coli/100ml</u> <u>(30 day geo-mean)</u>
Level 1	E. coli levels meet EGLE swimming standards for full body contact.	0-300	0-130
Level 2	E. coli levels meet EGLE standards for wading, fishing, and boating. Contact above the waist not advised.	301-1000	131-1000
Level 3	E. coli levels exceed EGLE standards, no body contact advised.	>1000	>1000
Level 4	Health Alert. E. coli levels and/or known gross contamination of beach waters. Avoid contact with beach waters.		

Note: Beach samples are routinely collected once a week. Therefore E. coli levels may not meet the Michigan Department of Environment, Great Lakes and Energy (EGLE) standards between sampling days. E. coli levels are more likely to increase after a storm.

Note: Beaches are sampled using the composite sampling method approved by EGLE. Follow-up samples after a Level 2, 3, or 4 will utilize geometric mean.