



**ENVIRONMENTAL HEALTH**  
2650 LaFranier Rd.  
Traverse City, MI 49686  
231-995-6051

**FOR IMMEDIATE RELEASE – June 29, 2023**  
**Weekly Grand Traverse County Beach Report**  
Samples Collected June 28, Reported June 29  
**GRAND TRAVERSE BAY**

<u>Beach</u>	<u>This week's sample results</u> <u>E. coli count per 100ml</u>	<u>Water Quality Index</u>
West End	20	1
Clinch Park	75	1
Bryant Park	88	1
East Bay Park	166	1
Traverse City State Park	43	1
Acme Bayside Park	23	1
Sayler Park	2	1
Sunset Park	24	1
TC Senior Center	41	1
TC Volleyball Beach	8	1
Haserot Beach	10	1

<u>Water Quality Index</u>	<u>Body Contact Limits</u>	<u>E.coli/100ml</u> (Single Event)	<u>E.coli/100ml</u> (30 day geo-mean)
Level 1	E. coli levels meet EGLE swimming standards for full body contact.	0-300	0-130
Level 2	E. coli levels meet EGLE standards for wading, fishing, and boating. Contact above the waist not advised.	301-1000	131-1000
Level 3	E. coli levels exceed EGLE standards, no body contact advised.	>1000	>1000
Level 4	Health Alert. E. coli levels and/or known gross contamination of beach waters. Avoid contact with beach waters.		

**Note:** Beach samples are routinely collected once a week. Therefore E. coli levels may not meet the Michigan Department of Environment, Great Lakes and Energy (EGLE) standards between sampling days. E. coli levels are more likely to increase after a storm.

**Note:** Beaches are sampled using the composite sampling method approved by EGLE. Follow-up samples after a Level 2, 3, or 4 will utilize geometric mean.